
# Investigation of the Time Structure of Showers in a Tungsten HCAL

Frank Simon
MPI for Physics & Excellence Cluster 'Universe'
Munich, Germany

International Workshop on Linear Colliders, Geneva
October 2010








## Outline

- Hadron Calorimetry at CLIC: Competing Requirements
- The Time Structure of Hadronic Showers
- Prospects for a First Measurement: T3B
- Summary & Outlook

## Hadron Calorimetry at CLIC

- The key CLIC feature: High Energy!
  - 3 TeV energy means in principle up to 1.5 TeV jets

Shower containment and leakage is a crucial issue




- A (very) deep hadron calorimeter is needed
- Use compact absorbers to limit the detector radius: Tungsten a natural choice


## Hadron Calorimetry at CLIC

- The key CLIC feature: High Energy!
  - 3 TeV energy means in principle up to 1.5 TeV jets

Shower containment and leakage is a crucial issue




- A (very) deep hadron calorimeter is needed
- Use compact absorbers to limit the detector radius: Tungsten a natural choice
- Key challenge (linked to high energy and machine-specific issues): Background
  - $\gamma\gamma \rightarrow$  hadrons substantial:
    - ~ 9 hadrons/bunch crossing in the barrel region (5.8 GeV / bunch crossing)
  - extreme bunch crossing rate: every 0.5 ns
- ✓ Very good time resolution in all detectors important to limit impact of background!





• Hadronic showers have a rich substructure:




heavy fragment






Hadronic showers have a rich substructure:

instantaneous, detected via energy loss of electrons and positrons in active medium



- instantaneous component: charged hadrons detected via energy loss of charged hadrons in active medium
- delayed component: photons and neutrons from nuclear de-excitation, detected via e<sup>+</sup>e<sup>-</sup> and momentum transfer to protons in hydrogenous active medium




- Importance of delayed component strongly depends on target nucleus
- Sensitivity to time structure depends on the choice of active medium



## A Look at Geant4: Time Distribution

- Geant4 simulation of a 30 layer Scintillator-W calorimeter (QGSP\_BERT)
  - Time distribution of energy deposits (no detector effects!)








## A Look at Geant4: Time Distribution

- Geant4 simulation of a 30 layer Scintillator-W calorimeter (QGSP\_BERT)
  - Time distribution of energy deposits (no detector effects!)








## A Look at Geant4: Time Distribution

- Geant4 simulation of a 30 layer Scintillator-W calorimeter (QGSP\_BERT)
  - Time distribution of energy deposits (no detector effects!)







## T3B:An Experiment for a First Study of the Time Structure

- CALICE is currently testing a first Tungsten HCAL
  - 30 layers with 10 mm Tungsten (94% W, 4% Ni, 2% Cu, density 17.6 g/cm<sup>3</sup>) absorber
  - Active elements from CALICE AHCAL: 5 mm thick scintillator tiles, read out by SiPMs (no time information available)

## T3B:An Experiment for a First Study of the Time Structure

- CALICE is currently testing a first Tungsten HCAL
  - 30 layers with 10 mm Tungsten (94% W, 4% Ni, 2% Cu, density 17.6 g/cm<sup>3</sup>)
     absorber
  - Active elements from CALICE AHCAL: 5 mm thick scintillator tiles, read out by SiPMs (no time information available)

For details see the next talk by Erik van der Kraaij





## T3B:An Experiment for a First Study of the Time Structure

- CALICE is currently testing a first Tungsten HCAL
  - 30 layers with 10 mm Tungsten (94% W, 4% Ni, 2% Cu, density 17.6 g/cm<sup>3</sup>) absorber
  - Active elements from CALICE AHCAL: 5 mm thick scintillator tiles, read out by SiPMs (no time information available)

For details see the next talk by Erik van der Kraaij

- T3B (Tungsten Timing Test Beam)
  - Goal: Measure the time structure of the signal within hadronic showers in a Tungsten calorimeter with scintillator readout
  - Use a (very) small number of scintillator cells, read those out with high time resolution
  - Record signal over long time window:
    - ~ 2 µs to sample the full shower development





## T3B: An Experiment for a First Study of the Time Structure

- CALICE is currently testing a first Tungsten HCAL
  - 30 layers with 10 mm Tungsten (94% W, 4% Ni, 2% Cu, density 17.6 g/cm<sup>3</sup>)
     absorber
  - Active elements from CALICE AHCAL: 5 mm thick scintillator tiles, read out by SiPMs (no time information available)
    - For details see the next talk by Erik van der Kraaij
- T3B (Tungsten Timing Test Beam)
  - Goal: Measure the time structure of the signal within hadronic showers in a Tungsten calorimeter with scintillator readout
  - Use a (very) small number of scintillator cells, read those out with high time resolution
  - Record signal over long time window:
    - ~ 2 µs to sample the full shower development
  - First information on time structure, possibility for comparisons to Geant4, but: no complete "4D" shower reconstruction!






## T3B Technology: Scintillators and Photon Sensors


- Important features for timing measurement:
  - Fast response (good time resolution!)
  - Large signal (allows detection of small individual energy deposits)


Fiberless coupling of photon sensor to scintillator: Eliminate time constant of WLS

- Requires blue sensitive photon sensors
- Requires special shaping of coupling position to obtain uniform response over tile









~ x2 faster response without WLS





## T3B Technology: Scintillators and Photon Sensors

- Important features for timing measurement:
  - Fast response (good time resolution!)
  - Large signal (allows detection of small individual energy deposits)

Choice of photon sensor: Number of pixels

- ▶ Compromise between amplitude and dynamic range
- $\blacktriangleright$  T3B will sit behind 3  $\lambda$  of Tungsten: Extremely high signals very rare, main interest in small energy deposits





## T3B Technology: Scintillators and Photon Sensors

- Important features for timing measurement:
  - Fast response (good time resolution!)
  - Large signal (allows detection of small individual energy deposits)

#### Choice of photon sensor: Number of pixels

- Compromise between amplitude and dynamic range
- $\blacktriangleright$  T3B will sit behind 3  $\lambda$  of Tungsten: Extremely high signals very rare, main interest in small energy deposits

#### For T3B: Hamamatsu MPPC50C

- ▶ 400 pixels, with a size of  $50 \times 50 \mu m^2$
- ▶ For a  $^{90}$ Sr source: Mean signal height ~ 30 p.e.
- ▶ For muons in beam (real MIPs): ~ 26 p.e., consistent with <sup>90</sup>Sr observations





## T3B Technology: DAQ

- Key requirements:
  - Fast sampling to allow for single photon resolution: ~ I GHz or more
  - Long acquisition window per event: 2 µs or more
  - Fast trigger rate: faster than the CALICE HCAL, > a few kHz


# T3B Technology: DAQ

- Key requirements:
  - Fast sampling to allow for single photon resolution: ~ I GHz or more
  - Long acquisition window per event: 2 μs or more
  - Fast trigger rate: faster than the CALICE HCAL, > a few kHz
- Adopted solution for T3B: PicoScope 6403
  - 1.25 GHz sampling for 4 channels per unit
  - I GB buffer memory (shared between channels)
  - Burst trigger mode: Maximum rate determined by window length:
    - ~ 500 kHz for 2µs acquisition window
  - 8 bit vertical resolution
  - Control & Readout via USB




## Putting it together: The T3B Setup

• A maximum of 16 channels, 4 readout units: one strip from the center of the calorimeter to the outer edge



## Putting it together: The T3B Setup

 A maximum of 16 channels, 4 readout units: one strip from the center of the calorimeter to the outer edge




1000


#### **1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16**

- Separate powering for each channel: adjust voltage to the SiPM working point channel by channel
- Mechanical support given by Alstructure, easy installation in W calorimeter structure

## First Commissioning Results: Muon Signals

- I week commissioning campaign at CERN PS in September:
   Low intensity muon beam
- Key result: Demonstrated capability to synchronise T3B Data taking with CALICE, crucial to use shower information from WHCAL in T3B analysis
- First muon signals observed










## First Commissioning Results: Timing

Measurement of intrinsic time jitter of T3B DAQ system: ~ 400 ps
 (in part given by the sampling frequency)

Time resolution of scintillator tiles with SiPMs studied with special muon

telescope setup of four T3B tiles





intrinsic time resolution for MIPs: ~ 800 ps



## T3B Program: Planned Measurements - Global Timing


- Based on simulations of 30 layer WHCAL, using Geant4.8.0 & QGSP\_BERT\_HP
  - 200k negative pion events simulated
  - No digitization in simulation: Raw time information from Geant4, no inclusion of response of scintillator, photo sensor, DAQ (yet)
- With T3B behind the HCAL:
  - expect 90% (95%) of the complete energy within
     ~10 (20) ns

# 5GeV - Fraction of Total Energy Deposition Fraction of Energy Deposition [%] 0.3 Pi- 5GeV - Layer 10 0.2 Pi- 5GeV - Layer 20 Pi- 5GeV - Layer 30 $10^2$ 10 time [ns]





- Determine shower start point using full WHCAL data: Pin-point T3B location within the shower event by event
  - ▶ Allows the measurement of average time profiles over the full shower




Average time of first hit (for cells which reach an energy > 0.3 MIP in the event)





- Determine shower start point using full WHCAL data: Pin-point T3B location within the shower event by event
  - ▶ Allows the measurement of average time profiles over the full shower



Average time of first hit (for cells which reach an energy > 0.3 MIP in the event)


central shower region
dominated by prompt deposits:
time structure is mostly time of
flight

outside the shower core, late deposits quickly become important






Analogous: Mean time of all energy deposits, relative to the shower start



Shower core characterized by prompt energy deposits, delayed deposits contribute significantly ~ 10 cm and more away from the shower axis

Analogous: Mean time of all energy deposits, relative to the shower start



Shower core characterized by prompt energy deposits, delayed deposits contribute significantly ~ 10 cm and more away from the shower axis

In general: T3B will look at space-resolved averages of time distributions, event by event studies need time resolution in all calorimeter cells



## Summary & Outlook

- Time resolution is important at CLIC: High hadron background combined with
   2 GHz bunch crossing frequency
- Hadronic showers are not instantaneous: Limits to the time resolution of the hadronic calorimeters
- In the upcoming test beam of a Tungsten HCAL, T3B will provide a first measurement of the averaged time structure of hadronic showers
- Event-to-event measurements of the time structure require a full "4D" calorimeter: Time resolution in every calorimeter cell
  - Possible with the next generation of CALICE AHCAL electronics, currently in production



