Proposal for more realistic ILD ECAL simulations

Daniel Jeans, U-Tokyo + many others



At present, ILD ECAL simulation models have a number of "aggressive" and/or "historical" parameters probably unfeasible if we write TDR in a few years.

The digitisation of ECAL hits is very simplistic reject hits with an energy < 0.5 MIP

To make more reliable estimates of performance, and fairer comparisons between different options,

silicon & scintillator ECAL groups have agreed to define more realistic simulation/digitisation procedures, and then to recommend them for use in ILD simulation/reconstruction Aim is to ensure reasonable technical realism of simulation models guided by experience of "technological prototypes"

not to optimise the large-scale parameters (radius, # layers,) for performance or cost

these realistic simulations should later be used to perform such large-scale optimisations

Recommended changes to Mokka simulation parameters

thickness of PCB+components ("Ecal_Slab_(Sc_)PCB_thickness")

DBD: 0.8 mm
"realistic" Sc-ECAL: 1.6 mm
"realistic" Si-ECAL (integrated ASIC): 1.2 mm
"realistic" Si-ECAL (packaged ASIC): 2.8 mm

("realistic" means "only-slightly-better-than-today")

This change can have, for example, an effect on the ECAL's effective Moliere radius

<u>Silicon thickness</u>: reduce from 0.5 mm to 0.32 mm (most cost-effective thickness for HPK) reduces sampling ratio

Sensor guard ring width kept at 0.5 mm (insensitive area)

Scintillator thickness: reduce from 2 mm to 1 mm (current design from Shinshu group) reduces sampling ratio

Reflector foil thickness kept at 0.057 mm

These changes give ECALs much closer to today's prototypes/designs

Virtual cells along Sc strip ("Ecal_Sc_number_of_virtual_cells"): 9

allows implementation of non-uniformity along strip



Mokka sums energy deposited in each virtual cell re-combined in the digitisation stage, with (optionally) different weights to approximate exponential response

Digitisation

In DBD used energy deposit in silicon / scintillator, without additional effects

Proposal:

Implement (relatively simple but) more realistic digitisation parameterised models

Silicon


- fluctuation in # electron-hole pairs
- uncorrelated electronics noise


Scintillator


- scintillator non-uniformity
- photo-electron statistics
- MPPC response
- uncorrelated electronics noise

For both, implement ability to turn off random channels random miscalibration

In the next few slides, I show what effect this digitisation procedure has on hit energies in single 10 GeV muon events using some maybe reasonable (not recommended) parameters







silicon-ECAL

ECAL hits in 10 GeV muon events

Sc-ECAL

Convert energy to expected # p-e Smear #p-e using Poisson statistics

Apply saturation and statistics of MPPC: See arXiv:0706.0746 for details

Unfold average MPPC saturation response

Allow for random (Gaussian) fluctuations in Energy -> #pe conversion MPPC per-pixel charge Knowledge of MPPC pixel number

This is parametrised model of scintillator MPPC response I can guess some reasonable parameters, but I think they should be chosen by ScECAL group

"representative" (not "official", not "recommended") set of parameters:

- Absorption length along strip: 100mm
- 7 photo-electrons / MIP
- 5000 MPPC pixels
- 5% spread in single pixel response
- 0.2 MIP electronics noise
- 5% uncertainty of effective pixel number


30-layer ScECAL with 1mm thick scintillator strips (45x5 mm²), segmented into 9 "virtual" cells



Mokka sums energy deposited in each virtual cell Combined in the digitisation stage, with different weights to fake ~exponential response

ScECAL hit energies in uniformly distributed 10 GeV muon events

0.5MIP threshold





dashed: virtual cells

continuous: combined cells

100mm absorption length along strip

+ 7 p-e / MIP (Poisson smear)





Summary

ECAL groups aim to see more realisitic simulation and digitisation used for ILD optimisation, including comparison of technologies

We have:

(more-or-less) agreed on ILD simulation guidelines for "realistic ECALs" Recommend values for some parameters of Mokka ECAL driver

Developed (idealised) parameterisation of ECAL response for silicon and scintillator technologies

Recommended parameter values still need to be agreed using input from test beam results


Discussing with AHCAL group:

hopefully agree on common parametric model for scintillator (of course parameters will be different)

Implemented into (still private) version of ILDCaloDigi processor I hope we can soon converge to an "official" procedure


Backup slides


Convert energy deposit to mean # photoelectrons (e.g. 7 pe / MIP)




ALL PLOTS ASSUME 10K PIXELS

Very wide range tested!!!!





MPPC statistics
(fluctuation in m when putting n balls into m baskets n p.es into m pixels)



100 GeV photons

Hit energies in barrel

