

TrueJet - a Marlin processor to group particles using the true history

Mikael Berggren¹

¹DESY, Hamburg

ILD phone meeting Meeting, June 20, 2012



Physics \Rightarrow Whizard \Rightarrow Parton shower \Rightarrow hadronisation
 \Rightarrow decays \Rightarrow Geant \Rightarrow MarlinReco \Rightarrow Pandora \Rightarrow Jet
clustering \Rightarrow YOU

The `TrueJet` processor tries to connect **YOU** with the **Physics** using the true information about the event.

- The connection from Geant to You is done by the `RecoMCTruthLinker` processor, linking PFOs (and jets) to `MCParticles`.
- `TrueJet` takes care of the rest: How does the `MCParticles` connect to the hard event.

Physics \Rightarrow Whizard \Rightarrow Parton shower \Rightarrow hadronisation
 \Rightarrow decays \Rightarrow Geant \Rightarrow ... \Rightarrow YOU

From MCParticles to Physics: TrueJet

- To link further back, TrueJet joins hadrons from the **final colour singlets** to di-jets.
- The di-jet is split into two jets, connected to the **final quarks**.
- It follows the decay-chain of the primary hadrons, and assigns each of them to the jet of it's parent.
- The process continues from generated to simulated particles.
- Then the final quark is followed back through the parton-shower.
- Ultimately, the **initial colour singlet** is found.

The **initial colour singlet** is the closest one gets to the initial physics (W,Z,h,...).

TrueJet: Decoding MCParticles

Idea: Since the history is created by Pythia: Re-create the **Pythia arrays** p and k from the MCParticle collection.

- Fix parent-child relations:

- 1 If the true particle is decayed in the generator, check if any of the children is created in simulation. If so, E and p will be inconsistent.
⇒
 - Promote parent to *stable*
 - Mark **all** children as created in simulation.
- 2 A CMShower should have two parents - sometimes not the case. Fix that.
 - A partial fixup of this issue is already in the stdhep-reader. However, sometimes (mostly in 6-lepton events) it is wrong.
- 3 Determine pairing **initial particles**
 - Easy for quarks, tricky for leptons.
- 4 $t\bar{t}$ is a mess and need special treatment.

TrueJet: Decoding MCParticles

Idea: Since the history is created by Pythia: Re-create the **Pythia arrays** p and k from the MCParticle collection.

- Fix parent-child relations:

- 1 If the true particle is decayed in the generator, check if any of the children is created in simulation. If so, E and p will be **inconsistent**.

⇒

- Promote parent to **stable**
- Mark **all** children as created in simulation.

- 2 A CMShower should have two parents - sometimes not the case. Fix that.

- A partial fixup of this issue is already in the stdhep-reader. However, sometimes (mostly in 6-lepton events) it is wrong.

- 3 Determine pairing **initial particles**

- Easy for quarks, tricky for leptons.

- 4 $t\bar{t}$ is a mess and need special treatment.

TrueJet: Decoding MCParticles

Idea: Since the history is created by Pythia: Re-create the **Pythia arrays** p and k from the MCParticle collection.

- Fix parent-child relations:

- 1 If the true particle is decayed in the generator, check if any of the children is created in simulation. If so, E and p will be **inconsistent**.

⇒

- Promote parent to **stable**
- Mark **all** children as created in simulation.

- 2 A CMShower should have two parents - sometimes not the case. **Fix that.**

- A partial fixup of this issue is already in the stdhep-reader. However, sometimes (mostly in 6-lepton events) it is wrong.

- 3 Determine pairing **initial particles**

- Easy for quarks, tricky for leptons.

- 4 $t\bar{t}$ is a mess and need special treatment.

TrueJet: Decoding MCParticles

Idea: Since the history is created by Pythia: Re-create the **Pythia arrays** p and k from the MCParticle collection.

- Fix parent-child relations:

- 1 If the true particle is decayed in the generator, check if any of the children is created in simulation. If so, E and p will be **inconsistent**.

⇒

- Promote parent to **stable**
- Mark **all** children as created in simulation.

- 2 A CMShower should have two parents - sometimes not the case. **Fix that**.

- A partial fixup of this issue is already in the stdhep-reader. However, sometimes (mostly in 6-lepton events) it is wrong.

- 3 Determine pairing **initial particles**

- Easy for quarks, tricky for leptons.

- 4 $t\bar{t}$ is a mess and need special treatment.

TrueJet: Decoding MCParticles

Idea: Since the history is created by Pythia: Re-create the **Pythia arrays** p and k from the MCParticle collection.

- Fix parent-child relations:

- 1 If the true particle is decayed in the generator, check if any of the children is created in simulation. If so, E and p will be **inconsistent**.

⇒

- Promote parent to **stable**
- Mark **all** children as created in simulation.

- 2 A CMShower should have two parents - sometimes not the case. **Fix that**.

- A partial fixup of this issue is already in the stdhep-reader. However, sometimes (mostly in 6-lepton events) it is wrong.

- 3 Determine pairing **initial particles**

- Easy for quarks, tricky for leptons.

- 4 $t\bar{t}$ is a mess and need special treatment.

TrueJet: Assigning jets

- Find **hard leptons**, if any and assign each one, and their decay-products and any FSR, to a jet.
- Assign the ISR photons to one jet each.
- Find “clusters” - two quarks joined together into a bound state during the PS. Assign jets to the the decay products.
 - Normally: cluster \rightarrow one hadron. But they are created by two quarks \Rightarrow two jets assigned - one will often be empty !
- Find **strings** - easy. Their descendants are hadrons, their first and last parents are **final quarks**.
- For clusters and strings: back-track to the **initial hard system**.
 - Following the quarks - ignore the gluons.
 - If a final quark comes from a gluon-splitting \Rightarrow backtrack the gluon, but stop assigning the parents to jets. Note jet which jet radiated the gluon.
- During the back-tracking, note if **inner bremsstrahlung** occurred.
 - Add this photon to the jet that its parent quark gives rise to.

TrueJet: Assigning jets

- Find **hard leptons**, if any and assign each one, and their decay-products and any FSR, to a jet.
- Assign the **ISR photons** to one jet each.
- Find “clusters” - two quarks joined together into a bound state during the PS. Assign jets to the the decay products.
 - Normally: cluster \rightarrow one hadron. But they are created by two quarks \Rightarrow two jets assigned - one will often be empty !
- Find **strings** - easy. Their descendants are hadrons, their first and last parents are **final quarks**.
- For clusters and strings: back-track to the **initial hard system**.
 - Following the quarks - ignore the gluons.
 - If a final quark comes from a gluon-splitting \Rightarrow backtrack the gluon, but stop assigning the parents to jets. Note jet which jet radiated the gluon.
- During the back-tracking, note if **inner bremsstrahlung** occurred.
 - Add this photon to the jet that its parent quark gives rise to.

TrueJet: Assigning jets

- Find **hard leptons**, if any and assign each one, and their decay-products and any FSR, to a jet.
- Assign the **ISR photons** to one jet each.
- Find “**clusters**” - two quarks joined together into a bound state **during the PS**. Assign jets to the the decay products.
 - Normally: cluster \rightarrow **one** hadron. But they are created by two quarks \Rightarrow two jets assigned - one will often be **empty** !
- Find **strings** - easy. Their descendants are hadrons, their first and last parents are **final quarks**.
- For clusters and strings: **back-track to the initial hard system**.
 - Following the quarks - ignore the gluons.
 - If a final quark comes from a gluon-splitting \Rightarrow backtrack the gluon, but stop assigning the parents to jets. Note jet which jet radiated the gluon.
- During the back-tracking, note if **inner bremsstrahlung** occurred.
 - Add this photon to the jet that its parent quark gives rise to.

TrueJet: Assigning jets

- Find **hard leptons**, if any and assign each one, and their decay-products and any FSR, to a jet.
- Assign the **ISR photons** to one jet each.
- Find “**clusters**” - two quarks joined together into a bound state **during the PS**. Assign jets to the the decay products.
 - Normally: cluster \rightarrow **one** hadron. But they are created by two quarks \Rightarrow two jets assigned - one will often be **empty** !
- Find **strings** - easy. Their descendants are hadrons, their first and last parents are **final quarks**.
- For clusters and strings: **back-track to the initial hard system**.
 - Following the quarks - ignore the gluons.
 - If a final quark comes from a gluon-splitting \Rightarrow backtrack the gluon, but stop assigning the parents to jets. Note jet which jet radiated the gluon.
- During the back-tracking, note if **inner bremsstrahlung** occurred.
 - Add this photon to the jet that its parent quark gives rise to.

TrueJet: Assigning jets

- Find **hard leptons**, if any and assign each one, and their decay-products and any FSR, to a jet.
- Assign the **ISR photons** to one jet each.
- Find “**clusters**” - two quarks joined together into a bound state **during the PS**. Assign jets to the the decay products.
 - Normally: cluster \rightarrow **one** hadron. But they are created by two quarks \Rightarrow two jets assigned - one will often be **empty** !
- Find **strings** - easy. Their descendants are hadrons, their first and last parents are **final quarks**.
- For clusters and strings: back-track to the **initial hard system**.
 - Following the quarks - ignore the gluons.
 - If a final quark comes from a gluon-splitting \Rightarrow backtrack the gluon, but stop assigning the parents to jets. Note jet which jet radiated the gluon.
- During the back-tracking, note if **inner bremsstrahlung** occurred.
 - Add this photon to the jet that its parent quark gives rise to.

TrueJet: Assigning jets

- Find **hard leptons**, if any and assign each one, and their decay-products and any FSR, to a jet.
- Assign the **ISR photons** to one jet each.
- Find “**clusters**” - two quarks joined together into a bound state **during the PS**. Assign jets to the the decay products.
 - Normally: cluster \rightarrow **one** hadron. But they are created by two quarks \Rightarrow two jets assigned - one will often be **empty** !
- Find **strings** - easy. Their descendants are hadrons, their first and last parents are **final quarks**.
- For clusters and strings: back-track to the **initial hard system**.
 - Following the quarks - ignore the gluons.
 - If a final quark comes from a gluon-splitting \Rightarrow backtrack the gluon, but stop assigning the parents to jets. Note jet which jet radiated the gluon.
- During the back-tracking, note if **inner bremsstrahlung** occurred.
 - Add this photon to the jet that its **parent quark** gives rise to.

TrueJet: Assigning jets

- For clusters and strings, assign the first generation hadrons to a jet induced by the **final quark** to which it is **closest in angle**.
 - There is **always two**, and **only two**, quarks as immediate parents.
- Follow the **decay-chain** of each hadron, assigning any product to the same jet.
 - NB: Done to the end of the MCParticle parent-child chain. \Rightarrow Both **generator and simulator** particles assigned to jets.
- All particles (post-PS) that are leftover are from **overlaid** events, and are grouped together in a **single jet**.

TrueJet: Assigning jets

- For clusters and strings, assign the first generation hadrons to a jet induced by the **final quark** to which it is **closest in angle**.
 - There is **always two**, and **only two**, quarks as immediate parents.
- Follow the **decay-chain of each hadron**, assigning any product to the same jet.
 - NB: Done to the end of the MCParticle parent-child chain. \Rightarrow Both **generator and simulator** particles assigned to jets.
- All particles (post-PS) that are leftover are from **overlaid events**, and are grouped together in a **single jet**.

TrueJet: Assigning jets

- For clusters and strings, assign the first generation hadrons to a jet induced by the **final quark** to which it is **closest to in angle**.
 - There is **always two**, and **only two**, quarks as immediate parents.
- Follow the **decay-chain of each hadron**, assigning any product to the same jet.
 - NB: Done to the end of the MCParticle parent-child chain. \Rightarrow Both **generator and simulator** particles assigned to jets.
- All particles (post-PS) that are leftover are from **overlaid** events, and are grouped together in a **single jet**.

TrueJet: Output Collections

TrueJet is a normal Marlin processor. The only parameters are the in/output collection names.

- Jets and ancestors

- **TrueJets** : (RecoParticles). `getParticles` gives all PFOs in the jet, `getParticleIDs` returns the type as
 - 1 string
 - 2 lepton
 - 3 cluster
 - 4 ISR
 - 5 overlay
- **FinalColorSinglets** : (RecoParticles). `getEnergy` etc. gives true values for the dijet from the **final quarks**. `getParticles` gives the TrueJets this colour-singlet gives rise to (always two).
 - For the beam jet it is the sum of the weight 1 MCParticles) .
- **InitialColorSinglets**: (RecoParticles)
 - If there are no gluon-induced jets: same as above.
 - If there are, it is the true values of all jets (gluon and quark) coming from the same **initial quark** pair.

TrueJet: Output Collections

- Relations:

- **TrueJetPFOLink** : link from PFO:s to true jets
- **TrueJetMCParticleLink** : link from jets to MCParticles. Meaning of the weight:
 - 0 - in the parton-shower.
 - 1 - stable to be used for eg. total E.
 - 2 - un-stable.

This code is **not** the same as `getGeneratorStatus`, see above. Summing MCPs with weight == 1 should always be correct - no double-counting or lost energy. **Anything else is a bug !**

- **FinalPartonLink** : points from FinalColorSinglet a to the parton (an MCParticle) at the end of the parton-shower that gives rise to the jet
- **InitialPartonLink** : points from an InitialColorSinglets to the parton (an MCParticle) at the beginning of the parton-shower that gives rise to the jet.
- **FinalColorSingletLink**: link from TrueJet to the final colour-singlet it comes from.
- **InitialColorSingletLink**: link from TrueJet to the initial colour-singlet it

TrueJet: Usage

- To create, just do as any Marlin processor - compile, add to MARLIN_DLL, add the processor decryption and call in the xml.
- To use the information in your processor, there is a helper class - TrueJet_Parser.
 - Let your processor inherit TrueJet_Parser. In the header:

```

      .
      .
#include "TrueJet_Parser.h"
      .
      .
class My_processor : public Processor , public TrueJet_Parser {
public:
    virtual Processor*  newProcessor() { return new My_processor ; }
      .
      .
    std::string get_recoMCTruthLink(){ return _recoMCTruthLink  ; } ;
      .
      .

```

TrueJet: Usage

- Then ...
 - In the ctor of `My_processor`, cut'n'paste calls to `registerInputCollection` for all the output collections from `TrueJet` - see `README`.
 - Then in `My_processor::processEvent`,

```
TrueJet_Parser* tj= this ;tj->getall(evt);
```

- Once done, add

```
if ( tj ) delall();}
```

at the end of `My_processor::processEvent`, to avoid leaks.

- There is an example processor - `Use_TrueJet` - that contains calls to all methods of `TrueJet_Parser`.

Conclusions and Outlook

- TrueJet **will be on SVN today.**
- It will be useful for disentangling effects of jet clustering from particle flow, from combinatorics, for detector effects.
- It is also useful for testing and developing overlay-removal and jet-clustering methods.
- Status:
 - Timing: 1.4 ms/event. No leaks.
 - All Whizard generated event-types have been tested and works - except $\gamma\gamma$ (which has, however been successfully tested at the generator output level)
 - Not tested on $\gamma\gamma \rightarrow hadrons$ from Pythia.
 - Right now, it does not work for 8-fermion samples from Physim - all Whizard generated event-types have been tested and works.

Conclusions and Outlook

- TrueJet will be on SVN today.
- It will be useful for disentangling effects of jet clustering from particle flow, from combinatorics, for detector effects.
- It is also useful for testing and developing overlay-removal and jet-clustering methods.
- Status:
 - Timing: 1.4 ms/event. No leaks.
 - All Whizard generated event-types have been tested and works - except $\gamma\gamma$ (which has, however been successfully tested at the generator output level)
 - Not tested on $\gamma\gamma \rightarrow \text{hadrons}$ from Pythia.
 - Right now, it does not work for 8-fermion samples from Physim - all Whizard generated event-types have been tested and works.

Conclusions and Outlook

- TrueJet will be on SVN today.
- It will be useful for disentangling effects of jet clustering from particle flow, from combinatorics, for detector effects.
- It is also useful for testing and developing overlay-removal and jet-clustering methods.
- Status:
 - Timing: 1.4 ms/event. No leaks.
 - All Whizard generated event-types have been tested and works - except $\gamma\gamma$ (which has, however been successfully tested at the generator output level)
 - Not tested on $\gamma\gamma \rightarrow \text{hadrons}$ from Pythia.
 - Right now, it does not work for 8-fermion samples from Physim - all Whizard generated event-types have been tested and works.