

Summary of BSM group activities

Mikael Berggren¹

¹DESY, Hamburg

ILD phone meeting, 25 Jan 2017



Ongoing analyses

- 1 Higgsinos (J. Yan, T. Tanabe, & al.)
- 2 Parameter extraction from results of (1) (S-L Lehtinen, H. Baer & al.)
- 3 STC4 (M.B., S. Caizza)
- 4 WIMPs (M. Habermehl, T. Tanabe & al.)
- 5 SUSY “Point 5” (M. Chera)
- 6 FCNC in top (F. Zarnechi)

In red: Talks today - In blue: Talks next BSM-focus meeting.

- New topics are welcome! Some ideas:
 - Dark-sector WIMPs decaying in the detector.
 - Lighter-than-125 Higgs(like) states, eg. nMSSM singlet.
 - Direct signs of extra dimensions.

Ongoing analyses

- ① Higgsinos (J. Yan, T. Tanabe, & al.)
- ② Parameter extraction from results of (1) (S-L Lehtinen, H. Baer & al.)
- ③ STC4 (M.B., S. Caizza)
- ④ WIMPs (M. Habermehl, T. Tanabe & al.)
- ⑤ SUSY “Point 5” (M. Chera)
- ⑥ FCNC in top (F. Zarnechi)

In red: Talks today - In blue: Talks next BSM-focus meeting.

- New topics are welcome! Some ideas:
 - Dark-sector WIMPs decaying in the detector.
 - Lighter-than-125 Higgs(like) states, eg. nMSSM singlet.
 - Direct signs of extra dimensions.

Ongoing analyses

- ① Higgsinos (J. Yan, T. Tanabe, & al.)
- ② Parameter extraction from results of (1) (S-L Lehtinen, H. Baer & al.)
- ③ STC4 (M.B., S. Caizza)
- ④ WIMPs (M. H. But remember
- ⑤ SUSY "Point" • The BSM group is about direct detection,
- ⑥ FCNC in top • The LHC exists!

In red: Talks today, ...eting.

- New topics are welcome! Some ideas:
 - Dark-sector WIMPs decaying in the detector.
 - Lighter-than-125 Higgs(like) states, eg. nMSSM singlet.
 - Direct signs of extra dimensions.

Ongoing analyses

- ① Higgsinos (J. Yan, T. Tanabe, & al.)
- ② Parameter extraction from results of (1) (S-L Lehtinen, H. Baer & al.)
- ③ STC4 (M.B., S. Caizza)
- ④ WIMPs (M. H. But remember
- ⑤ SUSY "Point" • The BSM group is about direct
- ⑥ FCNC in top • detection,
- The LHC exists!

In red: Talks today, ...eting.

- New topics are welcome! Some ideas:
 - Dark-sector WIMPs decaying in the detector.
 - Lighter-than-125 Higgs(like) states, eg. nMSSM singlet.
 - Direct signs of extra dimensions.

Status

- 1 Higgsinos: [Paper](#) in preparation.
 - Needs more SGV statistics of strongly pre-selected $\gamma\gamma$ and $e\gamma$.
 - In the making.
- 2 Parameter extraction from results of (1): As above + Suvi's [thesis](#) in preparation.
- 3 STC4: M.B. [Published](#) in ILC-LHC combined STC paper, further developments presented at ICHEP & LCWS. S. Caizza: [Thesis](#) almost ready.
- 4 WIMPs : [Thesis](#) in preparation.
- 5 SUSY “Point 5” : [Thesis](#) nearing completion.
- 6 FCNC in top: [Starting](#), but already done for CLICdb @ 380 GeV. Will need samples:
 - Signal requires Whizard 2.x.
 - Would profit from latest reconstruction developments.
 - But then background and signal would be with different reco...

Status

- ① Higgsinos: **Paper** in preparation.
 - Needs more SGV statistics of strongly pre-selected $\gamma\gamma$ and $e\gamma$.
 - In the making.
- ② Parameter extraction from results of (1): As above + Suvi's **thesis** in preparation.
- ③ STC4: M.B. **Published** in ILC-LHC combined STC paper, further developments presented at ICHEP & LCWS. S. Caizza: **Thesis** almost ready.
- ④ WIMPs : **Thesis** in preparation.
- ⑤ SUSY “Point 5” : **Thesis** nearing completion.
- ⑥ FCNC in top: **Starting**, but already done for CLICdb @ 380 GeV. Will need samples:
 - Signal requires Whizard 2.x.
 - Would profit from latest reconstruction developments.
 - But then background and signal would be with different reco...

Status

- ① Higgsinos: **Paper** in preparation.
 - Needs more SGV statistics of strongly pre-selected $\gamma\gamma$ and $e\gamma$.
 - In the making.
- ② Parameter extraction from results of (1): As above + Suvi's **thesis** in preparation.
- ③ STC4: M.B. **Published** in ILC-LHC combined STC paper, further developments presented at ICHEP & LCWS. S. Caizza: **Thesis** almost ready.
- ④ WIMPs : **Thesis** in preparation.
- ⑤ SUSY “Point 5” : **Thesis** nearing completion.
- ⑥ FCNC in top: **Starting**, but already done for CLICdb @ 380 GeV. Will need samples:
 - Signal requires Whizard 2.x.
 - Would profit from latest reconstruction developments.
 - But then background and signal would be with different reco...

Status

- ① Higgsinos: **Paper** in preparation.
 - Needs more SGV statistics of strongly pre-selected $\gamma\gamma$ and $e\gamma$.
 - In the making.
- ② Parameter extraction from results of (1): As above + Suvi's **thesis** in preparation.
- ③ STC4: M.B. **Published** in ILC-LHC combined STC paper, further developments presented at ICHEP & LCWS. S. Caizza: **Thesis** almost ready.
- ④ WIMPs : **Thesis** in preparation.
- ⑤ SUSY “Point 5” : **Thesis** nearing completion.
- ⑥ FCNC in top: **Starting**, but already done for CLICdb @ 380 GeV. Will need samples:
 - Signal requires Whizard 2.x.
 - Would profit from latest reconstruction developments.
 - But then background and signal would be with different reco...

Status

- ① Higgsinos: [Paper](#) in preparation.
 - Needs more SGV statistics of strongly pre-selected $\gamma\gamma$ and $e\gamma$.
 - In the making.
- ② Parameter extraction from results of (1): As above + Suvi's [thesis](#) in preparation.
- ③ STC4: M.B. [Published](#) in ILC-LHC combined STC paper, further developments presented at ICHEP & LCWS. S. Caizza: [Thesis](#) almost ready.
- ④ WIMPs : [Thesis](#) in preparation.
- ⑤ SUSY “Point 5” : [Thesis](#) nearing completion.
- ⑥ FCNC in top: [Starting](#), but already done for CLICdb @ 380 GeV.
Will need samples:
 - Signal requires Whizard 2.x.
 - Would profit from latest reconstruction developments.
 - But then background and signal would be with different reco...

Support report to the ICFA answer to MEXT

Reminder: Outline the capabilities of ILC for discovery of new particles if LHC sees

- 1 no new physics, OR
- 2 relatively light new physics, OR
- 3 new physics beyond direct ILC reach.

The answer, as we all already know, is that it doesn't matter what LHC sees.

However, the **emphasis** between direct observation (the topic of the ILD-BSM group), and indirect observation (The topic of the Higgs and Top/EW groups) **changes**.

The report is now under-going final edits, and will be made public **before the end of January**, ie. in one week.

Support report to the ICFA answer to MEXT

Reminder: Outline the capabilities of ILC for discovery of new particles if LHC sees

- ① no new physics, OR
- ② relatively light new physics, OR
- ③ new physics

NOTE

This report clearly is about the capabilities of a 500 GeV ILC! Matter what LHC sees. Staging is *not* considered.

The answer, as v

However, the **emphasis** between direct observation (the topic of the ILD-BSM group), and indirect observation (The topic of the Higgs and Top/EW groups) **changes**.

The report is now under-going final edits, and will be made public **before the end of January**, ie. in one week.

Organisational

- Conveners: M.B. (mikael.berggren@desy.de) and Jacqueline Yan (jackie@post.kek.jp).
- Mailing list:
 - Send mail to sympa@desy.de with "SUBSCRIBE ild-physics-bsm *firstname lastname*" as subject.
 - Wait for an OK from the maintainers (M.B. and Jackie).
 - This list is for people *active* in BSM analyses in ILD (and their supervisors).
- Request to give talks to ild-physics-conveners@desy.de.
- We intend to setup regular BSM working-group phone meetings, where more detailed discussions can take place.
- Details and time-slot to be worked out.

Organisational

- Conveners: M.B. (mikael.berggren@desy.de) and Jacqueline Yan (jackie@post.kek.jp).
- Mailing list:
 - Send mail to sympa@desy.de with “SUBSCRIBE ild-physics-bsm *firstname lastname*” as subject.
 - Wait for an OK from the maintainers (M.B. and Jackie).
 - This list is for people *active* in BSM analyses in ILD (and their supervisors).
- Request to give talks to ild-physics-conveners@desy.de.
- We intend to setup regular BSM working-group phone meetings, where more detailed discussions can take place.
- Details and time-slot to be worked out.

Organisational

- Conveners: M.B. (mikael.berggren@desy.de) and Jacqueline Yan (jackie@post.kek.jp).
- Mailing list:
 - Send mail to sympa@desy.de with “SUBSCRIBE ild-physics-bsm *firstname lastname*” as subject.
 - Wait for an OK from the maintainers (M.B. and Jackie).
 - This list is for people *active* in BSM analyses in ILD (and their supervisors).
- Request to give talks to ild-physics-conveners@desy.de.
- We intend to setup regular BSM working-group phone meetings, where more detailed discussions can take place.
- Details and time-slot to be worked out.