Progress on the Lol

Philip Burrows

John Adams Institute
Oxford University

Thanks to: Hiro Aihara, Mark Oreglia

'Loi should contain:

information on proposed detector, its overall philosophy, its sub-detectors and alternatives, and how these will work in concert to address the ILC physics questions'

'Evaluation of detector performance should be based on physics benchmarks ... some same for all Lols ... some chosen to emphasise the particular strengths of the proposed detector'

- 'discussion of integration issues with the machine ...
- state of technological developments for the components ...
- alternative technological options ...
- further R&D should be identified ... with timelines and milestones ...
- a preliminary cost estimate'

'In addition, should present:
structure of group ...
resource needs and evolution in time

enable the reader to judge the capacity and seriousness of the groups to carry out the work until the EDR'

Additional questions (IDAG June 22 2008)

- 1. Sensitivity of different detector components to machine background as characterized in the MDI panel.
- 2. Calibration and alignment schemes.
- 3. Status of an engineering model describing the support structures and the dead zones in the detector simulation
- 4. Plans for getting the necessary R&D results to transform the design concept into a well-defined detector proposal.
- 5. Push-pull ability with respect to technical aspects (assembly areas needed, detector transport and connections) and maintaining the detector performance for a stable and time-efficient operation.
- 6. A short statement about the energy coverage, identifying the deterioration of the performances when going to energies higher than 500 GeV and the considered possible detector upgrades.
- 7. How was the detector optimized: for example the identification of the major parameters which drive the total detector cost and its sensitivity to variations of these parameters.

IDAG Mandate (Yamada June 24 2008)

- 1. Are the physics aims of the detector convincing for an experiment at ILC?
- 2. Is the detector concept suited and powerful enough for the desired physics aims and the expected accelerator environment? Namely, is the arrangement of the employed detector components adequate?
- 3. Do the mechanism for the push-pull operation, related alignment and calibration methods enable the desired switching process?
- 4. Is the detector feasible? Namely, is the required R&D for the selected technologies advancing fast enough so that they can be completed during the design phase? Are the estimated cost and the way to obtain it reasonable when examined at the time of LOI?
- 5. Is the group powerful enough to accomplish the required design work through the technical design phase?

Executive summary

YIKES!

- 1. Introduction (5)
- 2. Global issues (10)
- 3. Subsystems (45)
- 4. Physics performance and benchmarking (25)
- 5. Cost estimate (5)
- 6. R&D issues (5)

1. Introduction ILC physics menu ILC environment SiD rationale

1. Introduction
ILC physics menu
ILC environment
SiD rationale

Jaros

2. Global issues SiD assembly Push-pull

2. Global issues
SiD assembly
Push-pull

Breidenbach

3. Subsystems

Overview

Beamline

Tracking system

Forward detectors

Calorimeters

Muon system

Magnet

DAQ + electronics

Lol Framework – 'responsibles'

3. Subsystems

Overview

Beamline

Tracking system

Forward detectors

Calorimeters

Muon system

Magnet

DAQ + electronics

Moffeit/Woods

Demarteau et al

Maruyama/Markiewicz

White/Frey

Band/Fisk

Krempetz

Haller

4. Physics performance and benchmarking

Simulation
Benchmark reactions
Performance of SiD

4. Physics performance and benchmarking

Barklow/Nomerotski

Simulation
Benchmark reactions
Performance of SiD

- 5. Cost estimate
- 6. R&D issues

- 5. Cost estimate
- 6. R&D issues

Breidenbach White/Brau

Since Boulder Meeting

- Editors meeting regularly
- Defined framework just described
- Agreed on APS latex format

http://hep.uchicago.edu/~oreglia/SiDLOI/sidloi.pdf

- Assigned responsibles for each section
- Zeroth pass at assembling some of starting material

Current Status

- 1. Introduction \checkmark
- 2. Global issues 🗸
- 3. Subsystems
- 5. Cost estimate
- 6. R&D issues
 - = something exists

Current Status

- 1. Introduction \checkmark
- 2. Global issues <
- 3. Subsystems DUE TODAY
- 5. Cost estimate
- 6. R&D issues

Subsystem section template

- 1. Definition of subsystem/subgroup
- 1.1 Name of the subsystem
- 1.2 Contact person(s) for LOI writing (!very important !)
- 1.3 Geometrical definition: Where it is located. Dimensions
- 1.4 Function
- 1.5 Requirements/specifications
 Typical physics benchmark(s) that your system is most relevant.
- 2. Description of the subsystem
- 2.1 Concept
- 2.2 Baseline design
- 2.3 Expected performance
- 2.4 Illustrations/Drawings that you definitely want to include in LOI
- 2.5 Options
- 3. R&D roadmap
- 3.1 Issues
- 3.2 Milestones (Before 2012, and after 2012)
- 3.3 Resources needed
- 4. Cost estimation
- 5. Q&A: anticipated questions from IDAG and answers to them (in available)
- 6. Organization of the subsystem group
- 6.1. Institutions involved

Lol Timeline

- November 15: 1st draft subsystem reports feedback to subsystems
- December 15: 1st draft physics/benchmarking chapter
 - identify and fill gaps, iterate etc.
- January 15: revised subsystem sections focussed collaboration meeting early Feb?
- February 15: complete draft for collaboration review
- March 15: final draft ready
- March 31: submit to Research Director

Editorial comments

- Have not done any detailed editting yet
 - want to have most of raw material first
- Will need to harmonise style, deal with overlaps ...
- Will need to draw out/delineate clear answers to IDAG questions
- Thanks for contributions to date!
- We need your cooperation in order to stay on track ...