



Contribution ID: 208

Type: **Oral presentation (remote)**

## Towards an update of the ILD ZHH analysis

*Wednesday, 10 July 2024 11:40 (15 minutes)*

The double Higgs-strahlungs process  $ee \rightarrow ZHH$  allows to access the Higgs self-coupling at energies above  $\sim 450$  GeV. It exhibits a very different BSM behaviour than fusion-type processes like gluon-gluon fusion at LHC (and future hadron colliders) and  $WW / ZZ$  fusion at higher energy lepton colliders. Therefore it adds unique information to the picture, in particular should the value of the Higgs self-coupling differ from its SM prediction. The last full evaluation of the ILC's potential to measure this process is more than 10 years old, and many of the reconstruction tools received very significant improvements since. This contribution will present the ongoing work in ILD to update the ZHH projections for the next European Particle Physics Strategy Update.

### Apply for poster award

**Primary authors:** BLEWERT, Bryan; VERNIERI, Caterina (SLAC National Accelerator Laboratory (US)); NTOUNIS, Dimitris (SLAC National Accelerator Laboratory (US)); LIST, Jenny (Deutsches Elektronen-Synchrotron (DE)); TORN-DAL, Julie Munch (DESY); TIAN, Junping (University of Tokyo)

**Presenter:** BLEWERT, Bryan

**Session Classification:** Higgs, Electroweak

**Track Classification:** Physics and Detector: Higgs, Electro-Weak