# scecal status for scintillator W DBD

T.Takeshita (Shinshu) for CALICE-Asia

DBD: Detailed Baseline Document

scecal status review performance results understandings by simulation open issues

### issues by Felix Established performance: energy resolution, linearity,

Established performance: energy resolution, linearity, uniformity, two particle separation

- Validated simulation: longitudinal and transverse shower profiles, response, linearity and resolution, for electrons and hadrons
- Operational experience: dead channels, noise, stability, monitoring and calibration
- Scalable technology solutions: power and heat reduction, low volume interfaces, data reduction, mechanical structures, dead spaces, services and supplies
- Open R&D issues: analysis and R&D to be completed before a first pre/production prototype can be built, cost reduction and industrialization issues


#### road to DBD


hardware historical summary DBD


we				re	
	phase I 2007	phase II 2008/9		chnological prototype 2012	ILC 201?
scintillator	molded & machined w WLSF	extruded strip 1cm		0.5cm no fiber	
MPPC	1600pix 1mmx1mm	N=x4		SMD	
electronics	separated SPIROC	N=x4	0	nboard EBU spiroc2	
calibration		fiber & LED		LED?	

### phase I~2007//

- molded scintillator
  - costly
- MPPC 1600 pix.
  - developed with HPK
- AHCAL electronics
  - spiroc and read board W 3.5mm










### phase II ~2008/9

- extruded scintillator by KNU
  - improved uniformity
- **№** MPPC 1600 pix
  - 2000 pieces handled
- calibration with clear fiber
  - notches









### Tech. Proto. ~2012

- 5mm scintillator
  - no WLSF
- ~ MPPC
  - SMD: soldered on FPC
- EBU electronics
  - everything on board






performance: energy resolution,


linearity, uniformity, two particle separation


resolution linearity



### calibration

notched clear fiber & LED









### calibration

notched clear fiber & LED

in situ calib. using halo muons






## leakage. e+

- shinCW absorber
- linearity & resolution






### simulations


longitudinal

profile




### Experience


- FNAL 2160 channels = 72/layer x 30 layer
- → dead channel = 4 (~0.2%) reflector sheet
- noise RMS ~ small << mip
- stability < a few %/month</p>
- \* temperature coef. ~6%
- monitoring: clear fiber




### Current activity \*\* EBU for integrated layer

- structure
- device study
  - → MPPC: timing # of pix.
    - № 30ps
  - scintillator strip 5mm







### hardware open issues

- scintillator ECAL with strips DBD point of view
- scintillator strip
  - wrapping
- **™** MPPC
  - saturation correction
- electronics
  - mounting on the FE board: EBU
  - relying upon AHCAL activity

### Relying issues

- upon Silicon ECAL works
- common parts
- Scalable technology solutions: power and heat reduction, low volume interfaces, data reduction, mechanical structures, dead spaces, services and supplies

#### Software un-readiness


#### open issues

- need simulation including
  - non-uniformity
  - saturation behavior
  - physics performance
- **► ILD** matter:
  - SSA
  - Hybrid performance

### ECAL post-DBD

establish mass production procedure

scintillator-ECAL factory



#### ScECAL toward DBD

- hardware almost ready
  - need to demonstrate integration of the system in 2012
- software need more effort : ILD matter
  - SSA
  - Hybrid performance
- need some more effort to the DBD