

# The ILD simulation model

Shaojun Lu

[shaojun.lu@desy.de](mailto:shaojun.lu@desy.de)

24.02.1016



# Outline


- Detector description toolkit—DD4hep
- The status of ILD\_o1\_v05 implementation in lcgeo
- The new introduced ‘mandatory’ envelopes
- Overview of ILD simulation model
- The validation of geometry and sensitive layer segmentation
- The reconstruction validation (Ongoing)
- Summary

# DD4hep and lcgeo

- DD4hep is a complete Detector Description toolkit
  - Includes geometry, materials, visualisation, readout, alignment, calibration, etc.
  - Support Full Experiment life cycle: Detector concept development, detector optimisation, construction, operation
  - Easy transition from one phase to the next
  - Consistent Description, Single source of information, used in simulation, reconstruction, analysis, etc.
- **lcgeo is a common LC detector description package based on DD4hep for ILD and CLICdp**


# ILD\_o1\_v05 model in lcgeo

- ported current Mokka model ILD\_o1\_v05 to lcgeo/DD4hep
  - VXD, FTD, SIT, TPC, SET, beam pipe (F. Gaede)
  - Ecal, Hcal, Yoke (S.Lu)
  - Beamcal, Lcal, LHcal (A.Sailier, M.Petric)
- DDSegmentation used for sensitive layer digitisation in lcgeo/DD4hep
- modified, reimplemented and improved in DD4hep framework



# Envelopes in ILD simulation model


- introduced 'mandatory' envelopes into the ILD simulation model, in order to
  - speed up the simulation (navigation)
  - have well defined 'real estate' for detectors
  - synchronise more easily with CAD models (place holder volumes)
  - facilitates development of new detector drivers and models
  - eventually allow for some well defined scaling behaviour



# Envelope in ILD\_o1\_v05

detector	inner radius	outer radius	half length min z, max z	additional parameters
VXD	16.0	60.0	177.6	VXD_cone_min_z 80.0 VXD_cone_max_z 150.0 VXD_inner_radius_1 24.1
FTD	25.1	328.9	2350.0	FTD_outer_radius_1 152.8 FTD_outer_radius_2 299.7 FTD_min_z_0 177.7 FTD_min_z_1 368.2 FTD_min_z_2 644.2 FTD_cone_min_z 230.0 FTD_cone_radius 184.1
SIT	152.9	324.6	644.1	SIT_outer_radius_1 299.8 SIT_half_length_1 368.1
TPC	329.0	1808.0	2350.0	
SET	1808.1	1827.9	2350.0	
Ecal	1843.0	2028.0	2350.0	Ecal_Hcal_symmetry 8.0 Ecal_symmetry 8.0
EcalEndcap	400.0	2088.8	2450.0, 2635.0	
EcalEndcapRing	250.0	390.0	2450.0, 2635.0	
Hcal	2058.0	3395.5	2350.0	Hcal_inner_symmetry 8.0
HcalEndcap	350.0	3395.5	2670.7, 3957.7	EcalEndcap_symmetry 8.0
HcalEndcapRing	2138.8	3137.0	2450.0, 2635.0	HcalEndcapRing_symmetry 8.0
Coil	3425.0	4175.0	3872.0	
Yoke	4424.0	7725.0	4047.0	Yoke_symmetry 12.0
YokeEndcap	300.0	7725.0	4072.0, 7373.0	YokeEndcap_symmetry 12.0
YokeEndcapPlug	300.0	3395.5	3981.5, 4072.0	YokeEndcapPlug_symmetry 12.0
BeamCal	20.0	150.0	3475.0, 3695.0	BeamCal_thickness 220.0 BeamCal_tubeIncoming_radius 15.0
LHCal	100.0	325.0	2680.0, 3200.0	LHCal_thickness 520.0
LumiCal	80.0	195.2	2500.0, 2630.7	LumiCal_thickness 130.7


# Overview of ILD\_o1\_v005





# Yoke in DD4hep/lcgeo

- ported from Mokka by S.Lu
  - line by line from Yoke05 geometry
  - comment out unused code lines for accessing database
  - adapted to the New DD4hep [[code.cc/compact.xml](http://code.cc/compact.xml)] style
  - need further manpower/expert to fully adapted to DD4hep framework
  - validation and improvement needed
- **currently review by N.D`Ascenzo**




The high light part is the Yoke barrel and endcaps



# AHcal in DD4hep/lcgeo


- AHcal ported/reimplemented by S.Lu
  - the latest engineering design
  - adapted to DD4hep framework
  - improved on scaling for next optimisation study
- custom segmentation code for AHcal Barrel scintillator tile has been implemented
  - layer edge fraction tile: same size in the same layer, each larger than half tile,
  - further improvement needed on fraction position



The high light part is the AHcal barrel and endcaps


# AHcal Endcaps in DD4hep

- the latest HBU engineer design model has been implemented in the lcgeo.
- It include 16 towers, build base the HBU type size.
- DDSegmentation used for the tile digitisation



# SiEcal Barrel in DD4hep/Icgeo

- ported from Mokka by S.Lu for **ILD\_o1\_v05**
  - SiW option only
  - adaptation of code flow
- new common ILD/CLIC Ecal driver exists:
  - after expert meeting at LLR
  - issue w/ endocarp symmetry (12 vs 8)
  - double layer structure ?
- **Need resolution and review by Ecal experts !**






# Endcaps model in lcgeo


- Simple Hcal Ring, which ported from Mokka
  - less effort made here
- The EcalEndcap and EcalECRing, which ported from Mokka
  - SiW option only for [ILD\\_o1\\_v05](#)
  - new common ILD/CLIC Ecal driver exists after expert meeting at LLR

➔ same situation as barrel




# TPC in lcgeo

- TPC is the same as Mokka in simulation ported by F. Gaede
- The reconstruction has been adapted to DD4hep/DDSurface
- New DD4hep/DDMarlinPandora reconstruction framework working with this update.





# SET SIT in lcgeo



- Ported line by line from Mokka by F. Gaede
  - surfaces for tracking added
- sensitive detector computes mean position of step ( as in Mokka)


# VXD in IceGeo



- Ported line by line from Mokka by F.Gaede
  - surfaces for tracking added
- sensitive detector computes mean position of step ( as in Mokka)




# FTD in lcgeo



- Ported line by line from Mokka by F.Gaede
  - surfaces for tracking added
- sensitive detector computes mean position of step ( as in Mokka)

# Forward Calo in Icegeo



Lcal

LHcal



Beamcal

- written by A.Sailier, M.Petric
- shared drivers between ILD and CLICdp

# beam pipe in lcgeo


- rewritten by A.Sailer
- compatible with Mokka




# Hits map in ILD\_o1\_v05



- can now fully simulate new DD4hep based ILD\_o1\_v05 model
- The green part are **calorimeters**, and the red part are **trackers**. The inner Si trackers are displayed clearly here in the hits map







0


2000

4000



# Validation of the AHcal SD

`scpox:scpoy {scpoz>-2000&&scpoz<2000}`




- The scintillator sensitive tile digitisation has been reimplemented in DD4hep/lcgeo.



# Ecal Hits map in ILD\_o1\_v05


DD4hep/lcgeo

scpoy:scpox {scpoy>1800}



Mokka


scpoy:scpox {scpoy>1800}



- during the validation, one issue found in the **ported SiEcal driver in lcgeo**.
  - ➔ Mokka has a separated collection, “PreShower”, for the most inner layer.
  - ➔ **ported SiEcal driver in lcgeo as Mokka**, has a separated collection “PreShower” too.
- the reality to be checked and confirmed by R&D group expert.


# Validation of the Ecal SD

- a generic segmentation (with one offset value) used for cell digitisation
- further improvement and implementation needed




# Validating Reconstruction

sum() {sum( rcene, Iteration\$, nrec,(rccid==101) )}



sum() {sum( rcene, Iteration\$, nrec,(rccid==101) )}



- Mokka+REC (left), DD4hep+REC(right).

- 500GeV uds sample

- reconstructed with DD4hep/DDRec, DDCaloDigi and DDMarlinPandora

- calibration constants from Mokka stdreco

# Summary

- The **lcgeo** is a new DD4hep based detector geometry description and simulation package with **complete simulation model ILD\_o1\_v05**.
  - ➔ Tracking detectors have been ported line by line from mokka into DD4hep/lcgeo.
  - ➔ DDSegmentation used as sensitive layer digitisation with DD4hep.
    - ➔ The scintillator sensitive tile digitisation has a custom implemented segmentation driver in DD4hep/lcgeo.
  - ➔ Silicon Ecal first layer has been written into preShower collection, too.
- Further improvement and validation, or any new design geometry driver will be done by **R&D group expert**.
- Please **nominate responsible person** to continue to validate and improve the geometry description and sensitive detector digitisation implementation for each sub-detector in parallel.